




with semi-base 3.500 Kg






General Features:

- Homologated and Certified product according to the European Machinery Directive 2006/42/CE and Harmonized Standards EN 1493:2010.
- · Reinforced carriages and arms for better safety.
- · 3-section arms with lower pick-up height 75 mm.
- · Safety device on lifting arms against toe-trapping.
- · Automatic arms locking.
- · Nylatron sliders with low coeficient of friction and wear.
- Control box with ON/OFF switch and independent UP and DOWN pushbuttons.
- · Single point release of safety locks by lever.
- · Carriage synchronization and safety against obstacles by wires.
- · Two heavy-duty chains drive carriages for a total security.
- Automatic safety shutdown in case of breakage of chains or wires.
- · Semi-base low profile: 34 mm height.
- Two pad extensions of 50&140mmpermittheloadingofany type of vehicle.





Distance between posts	2855 mm
Load Capacity	3500 Kg
Pick up Height	75 mm
Pads Height	50/140 mm
Lifting Height	1880 mm
Lifting Speed	45"
Arms Length (min-max)	730-1370 mm
Overall Width	3520 mm
Motor	3 phase 230/400 V - 50/60 Hz. 2.2 KW

Single Phase Version: 4EB1151

► VeluenSerie 1 4EB1100 Hydraulic 2-post lift with semi-base 3.500 Kg





CUSTOM DESIGN AND MANUFACTURE BY VELYEN



HYDRAULIC

Hydraulic Group at the top for a lower noise



SAFETY

Release lever of safety locks



▶ DESIGN

Three-section telescopic arms with great ability to reach by extending or reducing the maximum or minimum lenght of them



► SAFETY

Heavy-duty chains for total safety



DESIGN

Greater distance between columns to facilitate the opening of vehicle doors



► SAFETY

Upper height limit switch ensures the longer durability of the cylinder



▶ DESIGN

Pad extension of minimum height designed to lift lower vehicles



► SAFETY

Safety switch against chain breakage



► ELECTRICAL SAFETY

Control box with integrated switch to meet European Standards for electrical and hydraulic safety



SAFETY

Foot protection







CUSTOM DESIGN AND MANUFACTURE BY VELYEN



Sealed and tested cylinders against oil leaking



OPTIONALS

Tools support



Safety
Suitable to serve 100% of vehicles safely and in compilance with new European Standards



OPTIONALS Lighting equipment 24V



► OPTIONALS

Air & Energy supply



Optional 4 x 4



► **OPTIONAL**Wheel alignment support



► ELECTRICAL OPTIONS

Single phase available



► OPTIONALS

Color customization







